



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***





PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 49 CASE NO. 619P

TYPE OF ACCIDENT Car/Ped/Crossing street diagonally

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle I was traveling east in the only travel lane available, as there were vehicles parked on either side of the street. Ahead of vehicle 1, some boys were playing football in the street. One of the boys was running in a diagonal (northeast) direction and leaped to catch the thrown football. As the pedestrian was returning to ground, vehicle I collided with the right leg of the pedestrian. This collision knocked the pedestrian into the air and forward nearly nine meters. The pedestrian then hobbled to the curb. Vehicle I drove forward and parked on the south curb. The pedestrian was transported and released then returned to the hospital a week later for surgical repair to his right leg.

B. PEDESTRIAN PROFILE							
Pedestrian		.	Treatment/		Most (TO BE COMPLE	Severe	Injury ZONE CENTER)
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source
01	19	М	Treated/ released/ surgery late	Lower r Extremty	skeletal	3	Right side Funder

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

	C. VEHICLE PROFILE						
	Class		E	Most Severe Damage Based on Vehicle Inspection			
Vehicle No.	1.555	Year/Make/Model	Damage Plane	Damage Description			
01	Subcompact	92 Mitsubishi Eclipse	Side	Most damage to right fender. Also damage to hood. No damage found on front bumper.			

DO NOT SANITIZE THIS FORM

External

O, ∇

BEST AVAILABLE COPY



SU No	4	1		mber-Strat	•	19	<u>P</u>		. ACCIDENT SA SHWORTHINES Indicate North		\int
		<u>.</u>			8'+	N L				•	
						→					
											:
						۱	h d/				
							Ī				
						~					
							:	6	,		
									/		
					¢	· &					
						ار					
		:	1			~		·····	••••		



PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number	1	Case Nu	mber-Stratum <u>6</u> <u>19</u> <u>P</u>
PEDESTRIAN ACCIDENT CO	DLLISION DATA	COLLECTION	SCALED DIAGRAM
document reference point and reference line relative to physical features	Surface Type	154 .	north arrow placed on diagram
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	n thy	grade measurements for all applicable roadways
a) vehicle skid marks	Coefficient of Fr	Iction	scaled representations of the physical plant including:
b) pedestrian contacts with ground or object	Grade (v/h) Mea	isurement	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI)	a) at impe		b) all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from vehicle f) final resting points (FRP) for pedestrian and	b) betwee final re	73.60	scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either: a) physical evidence, or
documentation of the physical plant including: a) all road/roadway defineation (e.g., crosswalks,	Vehicle: Travel D	15	b) reconstructed accident dynamics
curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights, signs)			1
Reference Point: Utility Pole SE	Corner	Reference Line: 5	CUD ENGLISH
ltem		Distance and Direction from Reference Point	Distance and Direction from Reference Line
Pet Pol		11.1, W	2.5 N
Ped FR		7-6 W	I/SN
<u> </u>			

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
	_	
· · · · · · · · · · · · · · · · · · ·		
•		
		·
		Provide the state of the state of

Administration	PEDES I RIAN A	PEDESTRIAN CRASH DATA ST	U
Primary Sampling Unit Number	49	SPECIAL STUDIES - INDICATORS	
2. Case Number - Stratum	<u>6 19 P</u>	Check (/) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special	
IDENTIFICAT	ION	studies and 0 for the special studies not checked.	
Number of General Vehicle Forms Submitted	0 1	6SS15 Administrative Use(2
		7. <u>✓</u> SS16 Pedestrian Crash Data Study	1
Date of Accident (Month,Day,Year)	9 6	8SS17 Impact Fires	2_
5. Time of Accident	2115	9SS18	2
Code reported military time	e of accident.		
NOTE: Midnight = 2400		10SS19	2
Unknown = 9999		NUMBER OF EVENTS	
		11. Number of Recorded Events in This Accident	<u>L</u>
	PEDESTRIAN S	TUDY CRITERIA	

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

		PEDESTRIAN	ACCIDEN [*]	ΓEVENTS		
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0</u> <u>1</u>	13. <u>0</u> <u>1</u>	14. <u>O l</u>	15.	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	180_

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number <u>4</u> 9	10. Pedestrian's Weight Code actual weight to the nearest
2. Case Number - Stratum 6 1 9 P	kilogram. (999) Unknown
3. Pedestrian Number <u>0 1</u>	1 3 5 pounds X .4536 = 61. 2 kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping
6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	(6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown
6 6 inches X 2.54 = 167.6 centimeters 7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic
inches X 2.54 =centimeters 8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	(05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify):
inches X 2.54 =centimeters 9. Pedestrian's Height - Ground to Shoulder	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
_	at Initial Impact
15. Pedestrian's First Avoidance Actions	(01) At sides
	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
	(09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head المرازية المجالة
(98) Other (specify):	(98) Other (specify): Extended to word holding bell
(99) Unknown	(99) Unknown
	19. Pedestrian's Leg Orientation
	19. Pedestrian's Leg Orientation
	at initial impact
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together
	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
16. Pedestrian's Head Orientation	(05) Apart- forward leg unknown
at Initial Impact	(06) Left foot off the ground
(1) To front	(07) Right foot off the ground
(2) To left	(08) Both feet off the ground
(3) To right	(98) Other (specify):/ \(\psi \)
(4) Up	(99) Unknown
(5) Down	7
(8) Other (specify):	20. Vehicle/Pedestrian's Interaction
(9) Unknown	(01) Carried by vehicle, wrapped position
` '	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
17. Pedestrian's Body (Chest) Orientation	(04) Passed over vehicle top
at Initial Impact	(05) Thrown straight forward
(1) Facing vehicle	(06) Thrown forward and left of vehicle
(2) Facing away	(07) Thrown forward and right of vehicle
(3) Left side to vehicle	(08) Knocked to pavement, forward
(4) Right side to vehicle	(09) Knocked to pavement, left of vehicle
(8) Other (specify):	(10) Knocked to pavement, right of vehicle
(9) Unknown	(11) Knocked to pavement, run over or
•	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
·	(98) Other (specify):
,	(99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES	
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	0	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown	1
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	96	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):	4 Sugar Leter
Source: PAR	-	Nonfatal (3) Hospitalization (4) Transported and released	
 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown 	<u>O</u>	(5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown	•
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	<u>0</u>	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):	
		28. Hospital Stay (00) Not Hospitalized	00
		Code the number of days (up through that the pedestrian stayed in a hospita (61) 61 days or more (99) Unknown	
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown	79
	,		

STOP - VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
(96) Fatal - ruled disease (99) Unknown	
ARE ALL APPLICABLE MEDICAL RECORD NO[] UPDATE CANDIDATE?	YES[]
	•

Administration

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

0 1

2. Case Number - Stratum

4. Blank

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.


Source of Injury Body Anatomic Anatomic Level of A.I.S. Injury Data Region Structure Structure Injury Severity Aspect Source 1st 5. \(\begin{array}{cccccccccccccccccccccccccccccccccccc		Direct/Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
		14	15. 3	9	0
7.8.9.04.01-1.1.74	3 /			14.7	172
2nd 18. 1 19. 0 20. 1 21. 1 22. 0 23. £ 24. 1 25. 1	<u></u>	27	28. 2	29.2	30
3rd 31.7 32.8 33.9 34.06 35.02 36.1 37.1 38.74	O 39/	40	41. 2	422	- _{43.} <u>2</u>
4th 44. 2 45. 8 48. 5 47. 3 4 48. 08 49. 3 50. 1 51. 7 4 6	⊇ _{52.} _/	53	54.2	55.	56.3_
5th 57. 7 58. 8 59. 9 80. 0 4 61. 0 2 62. 1 63.1 64. 79	1 65.2	66. 1	67. <u>Z</u>	682	- <u>2</u>
6th 70. 7 71. 5 72. 9 73. 5274. 0275. 1 78. 1 77. 75 2	2-78.1	79	80, 3	81. 2	82.2
7th 83.7 84. 7 85.9 86.02 67. 02 88. 1 89. 1 90. 94	<u>7</u> 91. <u>/</u>	92. /	93	94. 0	
8th 96. 97. 98. 99. 100. 101. 102. 103.	104	105	108	107	108
9th 109. 110. 111. 112. 113. 114. 115. 116.	117	118,	119	120	121
10th 122 123 124 125 126 127 128 129	130	131	132	133	134


HS Form 0435I (10/95)

This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and timely.

	Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
l 1th							<u> </u>		<u></u>			_	
2th			—			_	_			—	—	—	
3th													
Ju								——					
4th		·					_						
5th		—	-			-			_	—			
6th													
													
7th			<u></u>				_					_	—
18th			-		-				_	_	—	—	_
19th													
													
2Oth			—								—		
21 st			—		——		-					—	
2nd													
													
2 3 rd	l <u></u> -		—	-=			_		_	—		—	
24th	' <u>—</u>	—	—			-			_	—			—
25th													

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE **SOURCE OF INJURY DATA** Injury not from vehicle contact No damage/contact **OFFICIAL** Certain (1) Autopsy records with or without hospital/ (3) Possible Scratch (Scuff, Cloth Transfer, Smear) medical records (9) Unknown (2) Hospital/medical records other than Large deformation **DIRECT/INDIRECT INJURY** emergency room (e.g., discharge Cracked, fractured, shattered Separated from vehicle summary) Direct contact injury Indirect contact injury (3) Emergency room records only (including Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: (7) Injured, unknown source (4) Private physician, walk-in or emergency Unknown clinic STRIKING PROFILE **DAMAGE DEPTH** Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) Rounded (contoured) Injury not from vehicle contact UNOFFICIAL (1) (2) (5) Lay coroner report (1) No residual damage Surface only damage Crush depth >0 to 2 centimeters (6) E.M.S. personnel Rounded edge Interviewee (7) Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters Sharp edge Other (specify): (8) Other source (specify): Other specify:_ (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION Abbreviated Injury Scale **Body Region Specific Anatomic Structure** Spine (02) Cervical (04) Thoracic Whole Area (O2) Skin - Abrasion (O4) Skin - Contusion (O6) Skin - Laceration Minor injury Head Moderate injury Serious injury (06) Lumbar (2) Face (3) Neck Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit Severe injury (4)Thorax (5) Abdomen (08) Skin - Avulsion Critical injury (5) numbers beginning with 02 (10) Amputation (20) Burn (6) (7) Maximum (untreatable) Spine Injured, unknown severity Upper Extremity (7)Lower Extremity (30) Crush Level of Injury (8) (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical Aspect Unspecified Specific injuries are consecutive two-digit beginning with 02. assigned Type of Anatomic Structure numbers Right (2) Left Bilateral (3) (4) Whole Area Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness To the extent possible, within the Central (2)Vessels (5) organizational framework of the AIS, 00 Anterior (3) Nerves is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic Posterior Organs (includes muscles/ (10) Concussion (6) (7) Superior ligaments) Skeletal (includes joints) Inferior (5) structure. 99 is assigned to any injury NFS as to lesion or severity. Unknown Head - LOC (9) Whole region (9) Skin **INJURY SOURCE** Wheels / tires **FRONT** 790 Left front wheel / tire 744 B pillar 700 Front bumper 791 Right front wheel / tire 745 C pillar 701 Front lower valance/spoiler 746 D pillar 792 Left rear wheel / tire 702 Front grille 748 Other pillar (specify): 793 Right rear wheel /tire 703 Hood edge and/or trim 749 Right side roof rail 798 Other wheel / tire (specify): 704 Hood ornament (fixed) 799 Unknown wheel / tire 750 Right side door surface 705 Hood ornament (spring loaded) 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 803 Exhaust system pipe 756 Rear antenna 757 Rear fender or quarter panel 804 Transmission 758 Other right side object 805 Drive shaft **Left Side Components** 806 Catalytic converter 720 Front fender side surface (specify): 807 Muffler 759 Unknown right side component 721 Front antenna 808 Floor pan 722 A1 pillar 809 Fuel tank 723 A2 pillar **Back Components** 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 818 Other undercarriage component 761 Tailgate 762 Hatchback, vertical surface (specify): 726 D pillar 768 Other back component 819 Unknown undercarriage component 728 Other pillar (specify): (specify): 769 Unknown back component Accessories 820 Air scoop, deflector 729 Left side roof rail 730 Left side door surface 821 Cellular or CB radio antenna 731 Left side door handle Top Components 822 Emergency lights or bar 770 Hood surface 732 Left side mirror fixed housing 823 Fog lights 733 Left side folding mirror 771 Hood surface reinforced by under hood 824 Luggage, ski, or bike rack 825 Cargo (specify):____ 734 Left side glazing forward of B pillar component 735 Left side glazing rearward of B pillar 772 Front fender top surface 736 Left side back fender or quarter panel 826 Spare tire 773 Cowl area 774 Wiper blade & mountings 827 Spotlight 737 Rear antenna 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ 776 Front header (specify): Other Object or Vehicle in Environment 739 Unknown left side component 777 Roof surface 778 Backlight glazing 948 Other object (specify): Right Side Components 779 Rear header 949 Unknown object in environment

780 Hatchback

781 Rear trunk lid

788 Other top component (specify): _

789 Unknown top component

959 Unknown object on contacting vehicle

997 Noncontact injury source

999 Unknown injury source

740 Front fender side surface

741 Front antenna

742 A1 pillar

743 A2 pillar

	tra		

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

unavailable.)

Blood Alcohol Level

(mg/dl)


BAL =


Glasgow Coma **Scale Score**

From initial Heatm.

Units of Blood Given

Arterial Blood Gases







National Accident Sampling System-Crashworthiness Data System: Pedestrian Injury Form

OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

aministration	OFFICIAL RECORDS
1. Primary Sampling Unit Number $\frac{9}{100}$	2114
2. Case Number - Stratum 6 1 9 P	9. Police Reported Travel Speed
3. Vehicle Number01	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICATION	(999) Unknown /
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	30mph X 1.6093 = 0 46kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify): 5 2 Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual.	in kmph (999) Unknown 20mph x 1.6093 = 0 4 kmph 11 Police Reported Alcohol Presence For Driver
6. Vehicle Model (specify): Eclipse 037	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given
7. Body Type Note: Applicable codes may be found on the back of this page.	(97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source:
<u>4A3CS34T77NE</u>	13. Police Reported Other Drug Presence For Driver
Left justify; Slash zeros and letter Z (Ø and Z) No VIN—Code all zeros Unknown—Code all nines	(0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown
•	

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Čab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest	Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown Ibs X .4536 = QQQQ kgs	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
·	PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	(Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

Ø E	、
23. Critical Precrash Event <u>8</u>	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.	
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
· · · · · · · · · · · · · · · · · · ·	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	\wedge
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(O1) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	e (99) Unknown
in lane	7-
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction) - over left	(0) No driver present
lane line	(1) No avoidance maneuver (2) Tracking
(61) From adjacent lane (same direction)—over right	(2) Tracking (3) Skidding longitudinally—rotation less than 30
lane line	degrees
(62) From opposite direction—over left lane line	(4) Skidding laterally—clockwise rotation
(63) From opposite direction—over right lane line	(5) Skidding laterally—counterclockwise rotation
(64) From parking lane	(8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same directio	• • • • • • • • • • • • • • • • • • •
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	2-
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance maneuver was initiated
(73) From driveway, intended path not known	(3) Vehicle stayed on roadway but left travel lane
(74) From entrance to limited access highway	where avoidance maneuver was initiated
(78) Encroachment by other vehicle—details	(4) Vehicle stayed on roadway, not known if left
unknown	travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(9) Directional consequences unknown

(9) Directional consequences unknown

	ENVIRONMENTAL DATA					
27.	(0) N (1) Ir Non-Ir (2) Ir (3) Ir (4) D	on to Junction Non-junction Interchange area Interchange Intersection Intersection-related Orive, alley access related Other non-interchange (specify):	0		(1) (2) (3) (4) (5)	dway Surface Condition Dry Wet Snow and slush Ice Sand, dirt or oil Other (specify): Unknown
28.	(9) L	Jnknown type of non-interchange Jnknown if interchange cway Flow)		(O)	ffic Control Device No traffic control(s) Trafficway traffic control signal (not RR crossing)
	(1) N (2) E p (3) E (4) C (9) U	Not physically divided (two way traffic) Divided trafficway - median strip without positive barrier Divided trafficway - median strip with positive barrier Divided trafficway Jinknown	2		(2) (3) (4) (5)	
29.	(1) C (2) T (3) T (4) F (5) F (6) S (7) S			35.	Trat (0) (1) (2)	controls (specify): Unknown ffic Control Device Functioning No traffic control Not Functioning Functioning Unknown
30.	(1) S (2) C (3) C	way Alignment Straight Curve right Curve left Jnknown	<u></u>	36.		nt Conditions Daylight Dark Dark, but lighted Dawn Dusk
31.	(1) L (2) U (3) C (4) H (5) S	Jphill Grade (>2%) Downhill Grade (>2%) Hillcrest	<u> </u>	37.	(9) Atn (1) (2) (3)	Unknown nospheric Conditions No adverse atmospheric related driving conditions Rain Sleet
32.	(1) (2) E (3) E (4) S (5) [6] (8) (7)	way Surface Type Concrete Bituminous (asphalt) Brick or Block Slag, gravel or stone Dirt Other (specify):	2		(4) (5) (6) (7) (8) (9)	Snow Fog Rain and fog Sleet and fog Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): Unknown


	BEST AVAILABLE COPY	
		s.b. "Mikadan eliprat Malife Laufill Bagiff y par
	49-619P	
		Marie and Article
	·92 Eclipé ~ 1940 m	State of the Control
	27 Yom 46" 1357	<u>ann a market de la marca de l</u>
	11700	erene ell'altra anno e elle en en en
	POI to FRP = 28,4m = 98 ft.	
	f = 0, 6	The second of th
10 M 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 - 0, 6	
The second desirable and the second s		
A CONTRACTOR OF THE CONTRACTOR	75-36	China canada anta da santa da
<u> </u>	br.ke 157 1. 17	
	20-36 1 Lp. X	
	PRT=15 Sec	
	1/2	
	93 = 1,5 V + (2)(0,6)(32.2)	Marie 1988
	v = -65t 7(1.5)2-(4)(0.026)(-93)	
	$V = \frac{10.5 \cdot 2 - (4)(8.824)(-93)}{0.05 \cdot 1}$	
	V= 37 fPS = 25.6 mph = 41.2 KPh	
	Marie 19 19 Andrew Control of the Co	

2					
U.S	. Depa	rtment	of Trans	sportati	on
Nati	onal H	lighway	Traffic	Safety	
Adn	ainiete	ation '		•	

J.S. Department of Transportation National Highway Traffic Safety Administration PEDESTRIAN EXTER	RIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY
1. Primary Sampling Unit Number 2. Case Number - Stratum 6 19 P	3. Vehicle Number <u>0 1</u>
VEHICLE IDE	NTIFICATION
VIN UA 3CS 34T7NE	Model Year 92
Vehicle Make (specify):	Vehicle Model (specify): Eclipse
PEDESTRIAN FRONT C	ONTACT WORK SHEET
PEV06 Hood Material	Steet
PEV08 Hood Length	cm
PEV09 Hood Width-Forward Opening	cm
PEV10 Hood Width-Midway	cm
PEV11 Hood Width-Rear Opening	cm
PEV14 Front Bumper Cover Material	<u> </u>
PEV15 Front Bumper Reinforcement Material	·
VERTICAL ME	ASUREMENTS
PEV16 Front Bumper-Bottom Height	cm
PEV17 Front Bumper-Top Height	cm
PEV18 Forward Hood Opening	cm
PEV19 Front Bumper Lead	cm
WRAP DI	STANCES
PEV20 Ground to Forward Hood Opening	cm
PEV21 Ground to Front/Top Transition Point	cm
PEV22 Ground to Rear Hood Opening	cm
PEV23 Ground to Base of Windshield	cm
PEV24 Ground to Top of Windshield	cm
PEV25 Ground to Head Contact	cm

ed.

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axides (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

CIT

	PEDESTRIAN SIDE	CONTACT WORK SHE	ET	
PEV06	Hood Material	Stol		
PEV08	Hood Length		116	cm
ļ	Hood Width-Forward Opening		$\frac{79}{79}$	cm
PEV10	Hood Width-Midway		136	cm
PEV11	Hood Width-Rear Opening		139	cm
	VERTICAL	MEASUREMENTS	5 2 (
PEV26	Ground Clearance		021	cm
PEV27	Side Bumper-Bottom Height		0)0	cm
PEV28	Side Bumper-Top Height		029	cm
PEV29	Centerline of Wheel		<u> </u>	cm
PEV30	Top of Tire .		059	cm
PEV31	Top of Wheel Well Opening		007	cm
PEV32	Bottom of A-Pillar at Windshield		089	cm
PEV33	Top of A-Pillar at Windshield			cm
PEV34	Top of Side View Mirror		095	cm
	LATERAL	. MEASUREMENTS		
PEV35	C _L to A-Pillar at Bottom of Windshield		074	cm
	C _L to A-Pillar at Top of Windshield	,	053	cm
	C _L to Maximum Side View Mirror Protrusion	on	094	cm
	WRA	P DISTANCES		•
			084	
	Ground to Side/Top Transition		091	cm
	Ground to Hood Edge		160	
	Ground to Centerline of Hood (ORIGIN)	•	15-	cm
PEV41	Ground to Head Contact		 — —	cm
				$= \frac{1}{\sqrt{k}} \int_{0}^{\infty} \frac{dx}{x^{2}} dx = \frac{1}{2} \int_{0}^{\infty} \frac{dx}{x^{2}} dx$

	ORIGINAL SPECIFICATION	S
Wheelbase	$\underline{}$ $\underline{}$ $\underline{}$ $\underline{}$ $\underline{}$ inches x	2.54 = 247 cm
Overall Length	1728 inches x	$2.54 = 4 \frac{39}{100} \text{ cm}$
Maximum Width	$\underline{}$ 66.7 inches x	2.54 = 169 cm
Curb Weight	<u> 7. 5 で </u>	.4536 = 1.
Average Track	$\underline{}$ $\underline{}$ $\underline{}$ $\underline{}$ inches x	2.54 =
Front Overhang	inches x	2.54 = <u>99</u> cm
Rear Overhang	inches x	$2.54 = \underline{93} \text{ cm}$
Undeformed End Width	inches x	2.54 = 1 3 4 cm
Engine Size: cyl./displ.	cc x	.001 = <u>)</u> . <u>\$</u> L
	CID x	.0164 = L
703 Hood edge and/or trim 704 Hood ornament (fixed) 705 Hood ornament (spring loaded) 706 Headlight 707 Retractable headlight door (Open/Closed) 708 Turn signal/parking lights 718 Other front or add on object (specify): 719 Unknown front object Left Side Components 720 Front fender side surface 721 Front antenna 722 A1 pillar 723 A2 pillar 724 B pillar 725 C pillar 726 D pillar 728 Other pillar (specify):	748 Other pillar (specify): 749 Right side roof rail 750 Right side door surface 751 Right side door handle 752 Right side mirror fixed housing 753 Right side folding mirror 754 Right side glazing forward of B pillar 755 Right side glazing rearward of B pillar 756 Rear antenna 757 Rear fender or quarter panel 758 Other right side object (specify): 759 Unknown right side component Back Components 760 Rear (back) bumper 761 Tailgate 762 Hatchback, vertical surface 768 Other back component (specify):	793 Right rear wheel /tire 798 Other wheel / tire (specify): 799 Unknown wheel / tire Undercarriage components 800 Front cross member 801 Steering assembly/Front suspension 802 Oil pan 803 Exhaust system pipe 804 Transmission 805 Drive shaft 806 Catalytic converter 807 Muffler 808 Floor pan 809 Fuel tank 810 Rear suspension 818 Other undercarriage component (specify): 819 Unknown undercarriage component
729 Left side roof rail 730 Left side door surface 731 Left side door handle 732 Left side mirror fixed housing 733 Left side folding mirror 734 Left side glazing forward of B pillar 735 Left side glazing rearward of B pillar 736 Left side back fender or quarter panel 737 Rear antenna 738 Other left side object (specify): 739 Unknown left side component	769 Unknown back component Top Components 770 Hood surface 771 Hood surface reinforced by under hood component 772 Front fender top surface 773 Cowl area 774 Wiper blade & mountings 775 Windshield glazing 776 Front header 777 Roof surface	Accessories 820 Air scoop, deflector 821 Cellular or CB radio antenna 822 Emergency lights or bar 823 Fog lights 824 Luggage, ski, or bike rack 825 Cargo (specify): 826 Spare tire 827 Spotlight 828 Other accessory (specify):
Right Side Components 740 Front fender side surface 741 Front antenna 742 A1 pillar 743 A2 pillar	778 Backlight glazing 779 Rear header 780 Hatchback 781 Rear trunk lid 788 Other top component (specify):	947 Ground 948 Other object (specify): 949 Unknown object in environment 959 Unknown object on contacting vehicle 997 Noncontact injury source

VEHICLE DAMAGE SKETCH Quight scraffsmith Dible skin Scraft (Oscident AD) AD Skin Scraft De Small dents W/POSSIBLE handprint EN 614 2WSI/ NOW] DL errod Dent (Rund) D 5 mvd98/5c, ff

Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axies) from the ground:

NOTES:

2 A

POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET								
CONTACT ID LABEL	COMPONENT Contacted	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IM CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE
4	RY. Fender	63	75.1	4	Rkane	Dont-round	£1). 3. 9 ₁	1
		65	1000	· C	4 (1 2 3 9	
B	Rt. Tun Light	63-74 CM	193 .	<i>C</i> 1	Delivible	Craked	1 23 9	1
		V-51	ıp				1 2 3:4	
C	R.F. fonder	68	73	4	Thigh?	scullscakh	1 2 3 9	3
	-	۴,			,		1 2 1 8	
D	RF. Funder	47	96 112	4	RILLO	Scoff	1 ② 3 9	4
		<i>45</i> 77	1/				1 2 3 9	
٤	Forder WA	て	92 :	6	lleg	Dent	1-223 9	5
	1. A		*				1 2 3 %	
F	Hood	11	17	41	hznd	Dent	1)239	6
							1 2 3.4	
\Box	Hood	79	20	<u>دا</u>	hand	Dent (Possible)	1 2 3 9	7
	/s 8	1.0			. 1-14	A 1 (2 - 1 ()	1 2 1 9	
H	Hood	ーに	44	<u>دا</u>	únk.belt	Dent (105 bh	1-2239	0
-	C	2 (- ~		(. II	1 2 3 9	
	Hood	-54	58	41	81hou(?)	Scrift koth hars		
12	2		7	/ 1	_	e a () (1 2 3 9	
1/1/2	Back of RF Fender	-49	76	21	7.	5c/alth	1 2 📞 9	9
	M	-12	/ //			cloth Lighter	1 2 2 2	
<u>_7</u>	R Milwan	•	- 90	<u> </u>	. 7	Closed MONTO	1239	10
		V	Ī				1 2 1 1	
							1 2 3 9	5
							1 2 2 9	<u>.</u>
		of the first specific and the second specific and the					1 2 3 9 € ್ಷ	4.4

POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS							
CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)
1 D	740	47	96	0	R.1.9	se-ds	(1) 2 3 9
20	•		1,	//	Riez	.,	0211
3 A	740	62	75	1 -	R-knee	dent	2 3 9
·A	74 O	6	75	1	r engin	**	Φ::•
5A	791	0	101	0	Ptay	4000	1 0 3 9
• (752	-69	90	0	Beech	4 one sexts	D 2 1 1
7	947		Gron	1			1 2 3 9
ŧ			•				19 2 3 9
9							1 2 3 9
10							17 2 2 9
11							1 2 3 9
12							1 2 3 5
13						·	1 2 3 9
14							1 2 3 9
15							1 2 3 9
18							1 2 3 9
17							1 2 3 9
19							1 2 2 9
19							1 2 3 9
28							1:2:3.9
21							1 2 3 9
22							1 2 3 8
23							1 2 3 9
24							10 22 3 9
25							. 1 5 2 3 9

VEHICLE DIMENSIONS	. 3 9
4. Original Wheelbase 247	11. Hood Width Rear Opening Code to the nearest centimeter (210) 210 centimeters or more
nearest centimeter (999) Unknown	(999) Unknown inches X 2.54 = centimeters
inches X 2.54 = centimeters	
5. Original Average Track Width Code to the nearest centimeter (185) 185 centimeters or more (999) Unknown inches X 2.54 = centimeters 6. Hood Material	12. Hood/Fender Vertical/Lateral Crush From Pedestrian (0) Not damaged (1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters) (8) Damage present, unknown if damage is from pedestrian impact (9) Unknown
(1) Plastic (2) Fiberglass (3) Steel (4) Aluminum (5) Stainless Steel (8) Other (specify): (9) Unknown	13. Windshield Contact Damage From Pedestrian Contact (0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged (2) Contacted by pedestrian - damaged (3) Unknown if contacted by pedestrian - not damaged (4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM) (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown	damaged (9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
inches X 2.54 = centimeter	(4) Other (specify):
9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	(9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
inches X 2.54 = centimeters	(4) Other (specify):
10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters	(9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown
	. inches X 2.54 = centimeters

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown inches X 2.54 = centimeters
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
	SIDE CONTACT DAMAGE
Front Wrap Distance Measurements	Side Vertical Measurements
2000	
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters 21. Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =centimeters 27. Side Bumper-Bottom HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknowninches X 2.54 =centimeters 28. Side Bumper-Top HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters 21. Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeters 22. Ground to Rear Hood Opening Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =centimeters 27. Side Bumper-Bottom HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknowninches X 2.54 =centimeters 28. Side Bumper-Top HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more

	- ~	Side Lateral Messureme	
29. Centerline of Wheel	28	Skie Lateral Franklierie	
Code to the	I	·	÷ 11
nearest centimeter (000) No side contact	-	35. Centerline to A-Pillar	074
(150) 150 centimeters or more	1	at Bottom of Windshield	
(190) 150 centimeters or more (999) Unknown	1	(000) No side contact	
(999) Olikilowii		Code to the	
inches X 2.54 = centi	imatara	nearest centimeter	
centi	imeters	(250) 250 centimeters or more	
	_	(999) Unknown	
30. Top of Tire	59		
Code to the		inches X 2.54 =	centimeters
nearest centimeter	ŀ		
(000) No side contact	1		055
(200) 200 centimeters or more	l	36. Centerline to A-Pillar	222
(999) Unknown	1	at Top of Windshield	
	•	Code to the	
inches X 2.54 = centi	imeters	nearest centimeter	e de la companya de l
	_	(000) No side contact	
lacktriangle	671	(250) 250 centimeters or more (999) Unknown	
	$\frac{\mathcal{Q}}{\mathcal{Q}}$	(333) Chkhown	
Code to the		. inches X 2.54 =	contimator
nearest centimeter		Inches X 2.54 =	Centimeter
(000) No side contact	I		16
(250) 250 centimeters or more	1	37. Centerline to Maximum Side	094
(999) Unknown	ł	View Mirror Protrusion	
,	ŀ	Code to the	
inches X 2.54 = centi	meters	nearest centimeter	
22 Bassans of A Billon on Windowield	89	(000) No side contact	
		(300) 300 centimeters or more	
Code to the		(999) Unknown	
(000) No side contact	l		
(250) 250 centimeters or more	l	inches X 2.54 =	centimeter
(999) Unknown			
(000) 011111111111		Side Wrap Distance Measure	
. inches X 2.54 = centi	meters	Side terati pistante mensan	
			0 - 11
	7 [38. Ground to Side/Top Transition	684
33. Top of A-Pillar at Windshield	<u> </u>	Code to the	
Code to the	1	nearest centimeter	
nearest centimeter		(000) No side contact	
(000) No side contact	1	(400) 400 centimeters or more	
(300) 300 centimeters or more		(999) Unknown	
(999) Unknown	l		
		inches X 2.54 =	centimeters
inches X 2.54 = centi	meters		
			090
24 Top of Side View Mirror	95	39. Ground to Hood Edge	<u> </u>
<u> </u>		Code to the	
Code to the	İ	nearest centimeter	•
(000) No side contact	l	(000) No side contact	
(300) 300 centimeters or more		(500) 500 centimeters or more	
(999) Unknown	i	(999) Unknown	
1000) Olikliowii	į	LLL VAFA	anntimeter:
inches X 2.54 = centi	imeters	inches X 2.54 =	Certuinatara
	İ		
			\$ <u>.</u>

,			· ugo · · o
40. Ground to Centerline of Hood Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown	160		
41. Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	centimeters 8		
inches V 0 F4			
inches X 2.54 =	centimeters		
•			-
		,	
·			
•			
		·	
		•	



49619P00000011 969.040000000000121150100001 96996 96 9600000000 00000000000000 49619P00010012 369.0410000000000101R72000 9.04 000000000191168490951380611302300339803140960014100990 49619P00010021 1010000000007 9.04 00000000028902021174011322 49619P00010131 9.04 00000000078904021174011322 49619P00010231 9.04 00000000078906021174011322 49619P00010331 9.04 00000000028534083174011233 49619P00010431 49619P00010531 9.04 00000000078904021179121222 9.04 00000000075902021175211322 49619P00010631 9.04 00000000077902021194711000 49619P00010731 9.04 0000000009252037034A3CS34T7NB 0480480960011500000 49619P01000041 12110180082201211210031 9.04 00000000024714631116129138139200000000000000000000000 49619P01000051 000000021038055028059067089121095074055094084090160998 00000000000002

INTER ERRORS

OHTO151 2 If TREATMENT PAS26 equals 4 or 6, then SOURCE OF DATA HT0152 PIJ05(n) should not equal 2.

HT0151 2 If TREATMENT PAS26 equals 4 or 6, then SOURCE OF DATA HT0152 PIJO5(n) should not equal 2.

PSU49 CASE 619P CURRENT VERSION: 9.04 ERROR SUMMARY SCREEN
PEDESTRIAN STUDY

/97

	UMBER OF OLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Y
Pedestrian Assessment	Ö	Ö	Ö	Υ
Pedestrian Injury	ŏ	ŏ	Ŏ	Y
Pedestrian General Vehicle	Ö	0	0	Υ
Pedestrian Exterior Vehicl	e O	o	0	Υ
Total Inter Errors		o	2	
Total Case Errors	o	o	2	